

a perfect fit™



**IMPLANT PASS**

**camlog**

**DENTAL IMPLANTS BY CAMLOG – MEDICAL DEVICES “MADE IN GERMANY” FOR YOUR WELL-BEING AND A NATURAL APPEARANCE.**



## PERSONAL DATA

.....  
Surname

.....  
First name

.....  
Address

.....  
ZIP code

.....  
City

.....  
Date of birth

.....  
Health insurance company

### **Dear patient,**

This implant pass documents that you received high quality dental implants made by CAMLOG. Please, keep this pass and bring it with you for implant treatment.

Best regards

Your dental office team

Dental implant therapies help improve oral health and increase quality of life. To make sure you benefit from your implant restoration for a long time, we would ask you to observe the following five points:

# 1

## **IMMEDIATELY AFTER SURGERY:**

- Cool the area of surgery from the outside.
- Avoid physical exertion, i.e., heavy lifting or sports.
- Do not smoke! Do not drink alcohol!
- Do not drink coffee, black tea or cola.
- Only once your sensitivity has returned fully to the area of surgery may you eat a soft diet.





# 2

## **DURING THE FIRST WEEK AFTER IMPLANTATION:**

- Avoid physical exertion.
- Do not chew in the region of the implant. If you wear dentures and your dental prosthetics press on the area of surgery, do not wear them until your first recall.
- Carefully rinse your mouth with lukewarm water every time you have eaten food.
- Clean your teeth regularly, but avoid the implant area.
- Do not use an oral irrigator or electrical toothbrush in the area of surgery.
- In case of pain, especially of the throbbing kind, consult your dentist, immediately.
- Ask your dentist about using antibacterial mouthwash solutions.
- In case of questions, please, ask your dentist.

# 3

## **AFTER REMOVAL OF THE SUTURES:**

- Allow the implant to heal without disturbing (do not touch with your tongue or fingers).
- Clean the area around the implant the way your dental office team has instructed you.

# 4

## **AFTER EXPOSURE OF THE IMPLANT:**


- Observe the same precautions as in the first week after implantation (point 2).



# 5

## AFTER PROSTHETIC RESTORATION OF THE IMPLANTS:

- Implants require consistent oral hygiene to fulfil their function long-term and successfully. Follow the oral hygiene instructions of your dentist and make use of the option for professional cleaning of teeth. Have your teeth and implants checked regularly. Your dentist will inform you about the recall program.



Region .....

Type of implant .....

Date of implantation .....

Implant diameter .....

Implant length .....

LOT (batch no.) .....

Date of exposure .....

LABEL

Dental office stamp

## PROSTHETICS

Abutment (type) .....

LOT (batch no.) .....

Date of insertion .....

Superstructure:

screw-retained  cement-retained  removable

Mounting material .....

LABEL

Dental office stamp

Region .....

Type of implant .....

Date of implantation .....

Implant diameter .....

Implant length .....

LOT (batch no.) .....

Date of exposure .....

LABEL

Dental office stamp

Abutment (type) .....

LOT (batch no.) .....

Date of insertion .....

Superstructure:

screw-retained  cement-retained  removable

Mounting material .....

LABEL

Dental office stamp

Region .....

Type of implant .....

Date of implantation .....

Implant diameter .....

Implant length .....

LOT (batch no.) .....

Date of exposure .....

LABEL

Dental office stamp

## PROSTHETICS

Abutment (type) .....

LOT (batch no.) .....

Date of insertion .....

Superstructure:

screw-retained  cement-retained  removable

Mounting material .....

LABEL

Dental office stamp

Region .....

Type of implant .....

Date of implantation .....

Implant diameter .....

Implant length .....

LOT (batch no.) .....

Date of exposure .....

LABEL

Dental office stamp

Abutment (type) .....

LOT (batch no.) .....

Date of insertion .....

Superstructure:

screw-retained  cement-retained  removable

Mounting material .....

LABEL

Dental office stamp

Region .....

Type of implant .....

Date of implantation .....

Implant diameter .....

Implant length .....

LOT (batch no.) .....

Date of exposure .....

LABEL

Dental office stamp

## PROSTHETICS

Abutment (type) .....

LOT (batch no.) .....

Date of insertion .....

Superstructure:

screw-retained  cement-retained  removable

Mounting material .....

LABEL

Dental office stamp

Region .....

Type of implant .....

Date of implantation .....

Implant diameter .....

Implant length .....

LOT (batch no.) .....

Date of exposure .....

LABEL

Dental office stamp

Abutment (type) .....

LOT (batch no.) .....

Date of insertion .....

Superstructure:

screw-retained  cement-retained  removable

Mounting material .....

LABEL

Dental office stamp

Region .....

Type of implant .....

Date of implantation .....

Implant diameter .....

Implant length .....

LOT (batch no.) .....

Date of exposure .....

LABEL

Dental office stamp

## PROSTHETICS

Abutment (type) .....

LOT (batch no.) .....

Date of insertion .....

Superstructure:

screw-retained  cement-retained  removable

Mounting material .....

LABEL

Dental office stamp



Region .....

Type of implant .....

Date of implantation .....

Implant diameter .....

Implant length .....

LOT (batch no.) .....

Date of exposure .....

LABEL

Dental office stamp

Abutment (type) .....

LOT (batch no.) .....

Date of insertion .....

Superstructure:

screw-retained  cement-retained  removable

Mounting material .....

LABEL

Dental office stamp

Region .....

Type of implant .....

Date of implantation .....

Implant diameter .....

Implant length .....

LOT (batch no.) .....

Date of exposure .....

LABEL

Dental office stamp

## PROSTHETICS

Abutment (type) .....

LOT (batch no.) .....

Date of insertion .....

Superstructure:

screw-retained  cement-retained  removable

Mounting material .....

LABEL

Dental office stamp

Region .....

Type of implant .....

Date of implantation .....

Implant diameter .....

Implant length .....

LOT (batch no.) .....

Date of exposure .....

LABEL

Dental office stamp

Abutment (type) .....

LOT (batch no.) .....

Date of insertion .....

Superstructure:

screw-retained  cement-retained  removable

Mounting material .....

LABEL

Dental office stamp

Region .....

Type of implant .....

Date of implantation .....

Implant diameter .....

Implant length .....

LOT (batch no.) .....

Date of exposure .....

LABEL

Dental office stamp

## PROSTHETICS

Abutment (type) .....

LOT (batch no.) .....

Date of insertion .....

Superstructure:

screw-retained  cement-retained  removable

Mounting material .....

LABEL

Dental office stamp

Region .....

Type of implant .....

Date of implantation .....

Implant diameter .....

Implant length .....

LOT (batch no.) .....

Date of exposure .....

LABEL

Dental office stamp

Abutment (type) .....

LOT (batch no.) .....

Date of insertion .....

Superstructure:

screw-retained  cement-retained  removable

Mounting material .....

LABEL

Dental office stamp

Region .....

Type of implant .....

Date of implantation .....

Implant diameter .....

Implant length .....

LOT (batch no.) .....

Date of exposure .....

LABEL

Dental office stamp

## PROSTHETICS

Abutment (type) .....

LOT (batch no.) .....

Date of insertion .....

Superstructure:

screw-retained  cement-retained  removable

Mounting material .....

LABEL

Dental office stamp

Region

Type of implant

Date of implantation

Implant diameter

Implant length

LOT (batch no.)

Date of exposure

LABEL

Dental office stamp

Abutment (type)

LOT (batch no.)

Date of insertion

Superstructure:

screw-retained  cement-retained  removable

Mounting material

LABEL

Dental office stamp

**INTERESTING INFORMATION ABOUT  
YOUR IMPLANT MANUFACTURER CAN  
BE FOUND AT:**

**WWW.CAMLOG.COM**



**Headquarters**

CAMLOG Biotechnologies AG  
Margarethenstrasse 38  
CH-4053 Basel

**camlog**